

GunMnfr./Model	BBL.	2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
Ruger		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
KP91DC	4.50"	67	67	67							67																
KP93	3.88"		69		68	68																					
KP94,KP944W,KP944DW	4.25"		69										69														
KP944DAOW,KP944	4.25"		69										69														
KP944DC,KP944DAO	4.25"		69										69														
KP944DAO	4.25"		69										69														
KP94DC	4.25"		69										69														
P345	4.00"		69										69	69													
P85	4.50"	67	67	67							65																
P89	4.50"	67	67	67							65																
P89DC	4.50"	67	67	67							65																
P89W,P89DW	4.50"	67	67	67							65																
P90.45CAL.	4.50"	67	67	67							67																
P90DC	4.50"	67	67	67							67																
P91DAO	4.50"	67	67	67							67																
P91DC	4.50"	67	67	67							67																
P95D,KP95D	4.25"		69																								
P95DAO,KP95DAO	4.25"		69		68	68																					
SR9	4.00"		84	84																							
SigSauer		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
P220 before gun serial number G158180	4.41"	77	77	77							77	77	77	77	77	77	77	77		770	770	77	77				
P226 DAK/DASA before serial gun number 365426	4.41"	77	77	77							77	77	77	77	77	77	77	77		777	777						
P220ST StainlessSteel P220R, P220S, P226R P226S, P226SO with Accessory Rails DASA	4.41"	77	77	77							777	777	77	77	774	774	774	774		774	774	77	77				X
P220afterS/NG158180(widetriggerguard)	4.41"										777	777															
P225	3.90"	74	74	74							79	79	74	74	79		79	79									
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"		277	277							1774	1774	277	277	774	774	774	774									
P226DAO,P220DAO	4.41"	77	77	77	177						777	777	77	77	77	77	77	77									
P226afterS/N365426(wide trigger guard)	4.41"										777	777															
P220R Compact	3.75"										74	74	74	74													
P228	3.90"	74	74	74							74	74	74	74	74	74	74	74		774	774	74	74				
P228R	3.90"																										X
P229	3.90"	74	74	74							74	74	74	74	74	74	74	74		74	74						
P229R DASA spurred hammer w/light rails	3.90"		744	744							744	744	74	74	744	744	744	744		744	744	744	744				X
P229R DAK bobbed hammer w/light rails	3.90"										1744	1744	174	174	744	744	744	744		744	744	744	744				X
P239 (will only fit 9mm as of manufactured date 4603)	3.63"		75								75	75	75	75													
P239 caliber 40 & 357	3.63"		75								754	754	75	75													
P239 DAK	3.63"										75	75															
P250 Compact 9mm, .40 N/A for Picatinny Rails	3.88"												750	750	750	750	750	750									X
SIGProSP2340,2009	3.88"	78	78	78							78	78	78	78							78	78	78	78			
SIGPro SPC2009-w light mount rails	3.50"												278	278													X
P2022spurred hammer	3.87"												278	278	278	278	278	278									X
Sig Arms GSR Revolution 1911	5.00"												256	256													
Smith&Wesson		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
39	4.00"	140	140	140							18	18															
59	4.00"	140	140	140							18	18															
410	4.00"	19	19																								
411	4.00"	140	140	140							140	140															
439	4.00"	140	140	140							18	18															
459	4.00"	140	140	140							18	18															
469	3.50"	20	20								20																
639	4.00"	140	140	140							18	18															
645	5.00"	23	23									23	210	210													
659	4.00"	140	140	140							18	18															
669	3.50"	20	20								20																
909	4.00"	19	19																								
910	4.00"	19	19																								
915	4.00"	140	140	140							18																
1006	5.00"	210	210	210							210	210	210	210													
1026	5.00"	210	210	210							210	210		210													
1066	4.25"		410								315	315															
1076	4.25"		310								310	310															
1086	4.25"		410								410	410															
3904	4.00"	140	140	140							18	18															
3906	4.00"	140	140	140							18	18				</											

GunMnfr./Model	BBL.	2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
4006	4.00"	140	140	140							140	140	140	140						140	140	140	140				
4006 Bobbed Hammer without Light Rails	4.00"		200CHP-140	2005CHP-140									6280CHP-140	6285CHP-140													
4013	3.50"		423								540																
4026	4.00"	140	140	140							140	140															
4043	4.00"												140	140													
4046	4.00"	240	240	240	440						240	240	140	140						140	140	140	140				
4053	3.50"		410								340																
4506	5.00"	23	23								23	23	210	210													
4526	5.00"	210	210	210							210	210	210	210													
4536	3.75"		423																								
4556	3.75"		410																								
4566	4.25"		410								315	315	210	210													
4576	4.25"		310								310	310															
4586	4.25"		410								410	410	210														
5903	4.00"	140	140	140							18	18	140	140							18	18					
5904	4.00"	140	140	140							18	18	140	140							18	18					
5923	4.00"	140	140	140							18	18															
5924	4.00"	140	140	140							18	18															
5926	4.00"	140	140	140							18	18															
6904	3.50"	20	20								20		20														
6924	3.50"	20	20								20		20														
6926	3.50"	20	20								20		20														
39533954	3.50"	240	240	240	420	420					218	218															
3913LS	3.50"	20	20								20																
3913NL	3.50"	20	20								20																
3913TSW w/o lightmnt	3.50"	20	20																								
3914LS	3.50"	20	20								20																
3953TSW	3.50"	240	240	240	420																						
3953TSW w/o lightmnt	3.50"	240	240	240	420	420																					
4006TSW w/PICATINNY Rails, 4006TSW w/STD. Rails BOBBED HAMMER ONLY	4.00"										141	141	141	141													X
4003TSW,4006TSW (manufacturing date of 4603),4043TSW,4046TSW (with rails)	4.00"		140								520	520	140	140													
4013TSW w/o lightmnt	3.50"	20	20										20														
4053TSW w/o lightmnt	3.50"	240	240	240	420																						
4056TSW w/o lightmnt	3.50"	240	240	240	420																						
4506-1	5.00"	210	210	210							210	210	210	210													
Smith&Wesson	2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS		
4513TSW w/ light rails	3.50"										423																
4513TSW w/o lightmnt	3.50"		423								423																
4516-1Ver.II.4516-2	3.75"		423								423																
4553TSW (6-1/2" Over All Slide Length) <i>N/A for size 6-3/4" Over All Slide Length</i>	3.75"										610	610															
4553TSW w/o lightmnt	3.50"		410								410	410															
4563TSW,4566TSW,4583TSW,4586T SW(with rails)	4.25"										430		210	210													
5903TSW,5906TSW (manufacturing date of 4603)	4.00"		140								520	520	140	140													
5943TSW,5946TSW(with rails)	4.00"																										
5946 & 5943 DAO Without Rails	4.00"														320	320	320	320									
5906lgrtriggrd	4.00"	140	140	140							18	18															
5906shrtrtriggrd	4.00"	140	140	140							18	18	140	140							18	18					
5943shrtrtriggrd	4.00"	240	240	240	420	420					218	218	140	140													
5944shrtrtriggrd	4.00"	240	240	240	420	420					218	218	140	140													
5946lgrtriggrd	4.00"	240	240	240	420						218	218															
5946shrtrtriggrd	4.00"	240	240	240	420	420					218	218	140	140							18	18					
6906lgrtriggrd	3.50"	20	20																								
6906shrtrtriggrd	3.50"	20	20								20		20														
6944shrtrtriggrd	3.50"	240	240	240	420	420					218	218															
6946lgrtriggrd	3.50"	240	240	240	420						218	218															
6946shrtrtriggrd	3.50"	240	240	240	420	420					218	218															
Sigma40,9mm	4.50"	40	40	40	40						40		40														
Smith&Wesson	2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS		
Sigma9C,40C,40V,9V,9E	4.00"		39	40							40		40														
Sigma9F,40F	4.50"	40	40	40	40						40		40														
Smith&Wesson	2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS		
SW99 9mm & .40	4.00"		84	84							84		84		84	84	84	84			84	84					
SW99 45ACP	4.25"												86	86													
M&P 9mm & .40 with & without thumb safety	4.50"										619	619	219	219	219												

Gun/Mfr./Model	BBL.	2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
M&P .45C without thumb safety	4.00"														919	919	919	919									
M&P .45C with thumb safety	4.00"														920	920	920	920									X
1911	5.00"														53	53	53	53									
1911 w/ Tactical Rails	5.00"														56	56	56	56									X
Sphinx		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
3000 cocked and locked or with hammer down	3.75"												182	182													
3000 cocked and locked or with hammer down	4.50"												182	182													
SpringfieldArmory		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
Model1911-A1	5.00"	53	53	53							53	53	53	53	53	53	53	53									
Operator1911-A1	5.00"										56	56	56	56	56	56	56	56									X
XD 9mm, .40, .45, & .357	4.00"												148	148	148	148	148	148									X
XD 9, 40, 45 and .357	5.00"												149	149	149	149	149	149									X
XD (M) 9mm	4.50"												149	149	145	145	145	145									X
XD(M) .40	4.50"												149	149	146	146	146	146									X
Stinger		2	200	2005	295	2955			519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
S-200									164	164			164	164													
STI/SVI		2	200	2005	295	2955			519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
1911 with rails	5.00"												56	56	56	56											X
1911 without rails	5.00"																53	53									
STI Tactical	5.00"												56	56	56	56											
Steyr		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
M40	4.00"												98	98													
Taser International		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
Advanced Taser M26									63	63			63	63					63								
X26									64	64			64	64					64								
Taurus		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
24/7 w/accy rails	4.00"				40								40	40													X
PT92, PT99C	5.00"	73	73	73							73	73															
PT99	5.00"	73	73	73							73	73															
PT99C	4.00"	73	73	73							73	73															
PT92C	4.00"	73	73	73							73	73															
Walther		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
P5	3.50"		87										87	87													
P99	4.00"		84	84							84		84	84	84	84	84	84									
P99QA	4.00"												84	84			84	84									
P99C QA	3.50"		84	84									84	84	284	284	284	284									
Wilson		2	200	2005	295	2955	3280	3285	519	520	070	0705	6280	6285	6320	6325	6360	6365	6520	6070	6075	6270	6275	6295	62955	RLS	
1911 CQB w/light rail	5.00"												56	56	56	56											X
1911	4.88"	53	53	53							53	53	53	53													

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for or the consequences resulting from such errors and urges any user of this information to personally check for holster/handgun compatibility using actual products.

RLS NOTE:
The RLS will fit most handguns with standard light rails, and also Shotguns & Long Guns with Picatinny Light Rails. N/A for Handguns without Light Rails.